Mit W. Hange of this

Annual Report

OF THE

Medical Officer of Health

TO THE

Cannock Rural District Council

FOR THE YEAR 1895.

CANNOCK:

PRINTED BY A. WITHINGTON, STATIONER, MARKET PLACE.



Annual Report


OF THE

Medical Officer of Health

TO THE

Cannock Rural District Council

FOR THE YEAR 1895.



ANNUAL REPORT

OF THE

MEDICAL OFFICER OF HEALTH

TO THE

CANNOCK RURAL DISTRICT COUNCIL

FOR THE YEAR 1895.

To the Chairman & Members of the Cannock Rural District Council.

MY LORD AND GENTLEMEN,

I have the honour of laying before you my Review of the Sanitary Work for 1895, with the Statistics of Mortality and Sickness.

Statistics of Mort	tality and Sic	kness.						
ESTIM	ATES OF	POPULATION	•	Population.				
	BREWOOD SUB	-DISTRICT.						
Brewood	2556	Dunston		250				
Bushbury .	2450	Stretton		220				
Penkridge .	2330	Teddesley		110				
Lapley	790	Coppenhall	• • •	110				
Church Eaton .	575	Featherstone		50				
Acton & Bednall.	468	Kinvaston		24				
Тота	.i ıl.	9,933.						
Mainly agricultural. In Bushbury we have the artizan element in the Electrical Works and in the service of the Railway Companies.								
Can	NOCK (Rural)	Sub-District.						
Cheslyn Hay	2180	Shareshill		350				

	CANNOC	к (Rural) Sub-Distri	CT.		
Cheslyn Hay		2180	Shareshil	l	•••	350
Essington		1420	Saredon		•••	270
Great Wyrle	у	1230	Huntingto	n	•••	200
Hatherton	•••	485	Hilton		•••	65
Total		6,200.	A mining of	omn	nunity.	
Total for en	tive Die	trict			16	133

Births.	BIR	THS	IN	YEA	R		518.
	Males, 277.		ales,				Rate, 32·10.
	1894		34.2		1890		26.8
	1893		31.7		1889	•••	26.8
	1892		$27 \cdot 6$		1888		26.5
	1891		28.8		1887		$\overline{28.3}$
	1001	•••	1886	•••	29.6	•••	_0
	CA	NNOCK	Birth	Rate		38	3 ∙ŏ
	1894		42.2	2	1891		38.1
	1893		38.2	2	1890		30.1
	1892		31.6		1889	•••	33.8
	B	REWOOI	o Birt	h Rat	e	2	28
	1894		29		1891		22
	1893		$\frac{27}{27}$		1890		$\frac{24}{24}$
	1892		$\overline{25}$		1889		$\frac{1}{22}$
Deaths.	DEA	THS	IN	YEA	R		265.
	Males, 137.	Fem	ales, l	128.	General	Death	Rate, 16·42
	1894		15		1890		13
	1893		17		1889		13
	1892		15		1888		13
	1891		16		1887		15
			1886		. 15		
	The exact of difficulty,						is a matter last census,

The exact working out of the Death Rate is a matter of difficulty, owing to the remoteness of the last census, and the calculation of the population to date. The figure for 1891 is correct (16), and I think the estimate for 1895 is fairly so. The Death Rates in Staffordshire in Rural Districts in 1892, 1893, and 1894 varied from 17.9 to 15.4. We, in our district, for the past year, strike a fair average, and when we consider its composition—miners, artizans, and labourers—with the depression in trade, the risks in the collieries, and the large proportion of infant mortality, there is no reason to look upon the Death Rate of 1895 as a high one.

	Cannock	Death	Rate		12.74	
1894	ł	15		1891		16
1893	3	15		1890		12
1892	2	18		1889		12
٠	\mathbf{B}_{REWOOD}	Death	Rate		18.72	
1894		Death 15	Rate		18·72 	16
1894 1893	l		Rate			16 13

Mortality as to time of year:								,	Quarterly Mortality,
				nnock.			Brew		
			1895		1894	1895		1894	
1st Qu	aartei	·	27		36	55	•••	41	
2nd	,,		21		29	53	•••	45	
3rd	,,		15		13	37	•••	35	
4th	,,		16		16	41	•••	31	
			79		94	186		152	
		Mor	tality	at the	variou	s ages :—			Age
				Canno	ek.	Brewood		Totals.	Mortality.
Under	1 yea	11,		- 27	• • •	43		70	
1 year	to 5			7		15		22	
5 year	s to 1	5		2		8		10	
15 yea	rs to	25		4		5		9	
25 yea	rs to	65		. 15		57		72	
Over (24		58		82	
						186		$\frac{-}{265}$	
		D			1 / 1 D			200	
G	1 3.0		,			eaths:—	0.4	,	
		ortal	ity und	ter 1 y	ear .	••	-	er cent.	
Brewo	od	,,		,,		••	23	,,	
				IN I	1894.				
Canno	ck .	3	2 per o	ent.	Brew	ood	17 p	er cent.	
Canno	ek Mo	ortal	ity (AL	ь Deat	hs to 5	yrs.)	43 p	er cent.	
Brewo	od	,,		,,	,,		31 p	er cent.	
				IN I	1894.				
Canno	ck .	3	7 per c	ent.	Brew	ood	20 p	er cent.	
	Inf	ant I	Mortali	ty Rat	te.—Er	ntire Distr	ict.		Infant
In	189					4·33 pa		00.	Death Rate.
In	1894	4				4.1	,,		
	1893					4.43	,,		
In	1892	2				4.2	,,		
	Ca	uses	of Dea	ath in	Infant		7 0		

				C	annock.	Bre	ewood.
	Zymotic 4	(Diarrhœa (Erysipelas			0	.	3 1
	Chest 18	Bronchitis Pneumonia Pulmonary Con	 gest	 ion	$\begin{array}{c} 2 \\ 3 \\ 0 \end{array}$		5 7 1
	Nervous System 16	Convulsions Dentition Brain Disease			7 1 1		5 1 1
	26	Premature Bir Debility from Marasmus Mesenteric Dis	$rac{\mathrm{Birth}}{}$		${0 \atop 7} \atop 2 \atop 2}$		$\begin{array}{c} 3 \\ 10 \\ 0 \\ 2 \end{array}$
		All other cause	es	•••	2	•••	4
					27		43-70
				1895	1894	F .	1893
	Zymotic Chest Nervous S	Causes (Infants) System ,,		4 18 16	2 15 11		11 9 13
1 Year to 5.	Cause	s of Death in ch	ildre	n1 y	rear to 5		22
				C	lannock.	Br	ewood.
	Zymotic 3	{ Diarrhœa { Diphtheria			1 0	···· ·	$\frac{0}{2}$
	Chest 11	Bronchitis Pneumonia Phthisis			$egin{array}{c} 1 \ 3 \ 1 \end{array}$		$\frac{3}{3}$
	Nervous System	Convulsions Dentition Brain Disease			0 0 0		$\begin{array}{c} 1 \\ 2 \\ 1 \end{array}$
		All other caus			1		3
					7	•••	15
				1895	189	4	1893
	Zymotic Chest Nervous	Causes (1 to 5) System ",		$\begin{array}{c} 3 \\ 11 \\ 4 \end{array}$	3 5 2		13 not re- corded.
Over 65 Vre	Mortality	v over 65 years.—	-Per	Centa	nge of T	otal I	Deaths.
0 (01 05 115.	Can	nock Mortality or wood "			30 p	er cei	nt.

IN 1894. Cannock 26 per cent. | Brewood ... 44 per cent. IN 1893. Cannock 18 per cent. | Brewood ... 38 per cent. In the first time for many years the longevity table is fairly approximate in the mining and agricultural districts. Mortality Rate (over 65), entire District, 5.08 per 1000 In $1894 \dots 5.7$ | In $1893 \dots 5.37$ | In $1892 \dots 4.8$ Parish Death Rate Table, per 1000. Parish Death Great Wyrley 8.9 Church Eaton 15 Rates. Teddesley ... 9 Essington 15 Stretton 9 Lapley 16 Acton and Bednall ... 10 Coppenhall 18 Bushbury ... 14 20 Penkridge ... 14 20 Cheslyn Hay Shareshill Hatherton ... 14 Brewood 24 Dunston Average Death Rate for the last 4 years in the larger Parishes. Church Eaton 10 Cheslyn Hay 16 13 Bushbury ... Lapley 18 14 Hatherton ... 18 Essington ... Great Wyrley 14 Brewood 20 . . . 16 Shareshill 20 Penkridge ... Acton and Bednall 16 Infectious Mortality from Infectious Diseases. Diseases Cannock. Brewood. Totals. Mortality. Influenza 1 6 7 2 Puerperal Fever 1 1 . . . 1 Scarlet Fever 0 Diarrhœa 4 0 Diphtheria 4 4 0 1 Typhoid Fever 0 1 1 Erysipelas 4 16 20 ... 1.2 per 1000 Zymotic Death Rate ... 1891 1894 .6 1.13. . .

1890

1889

• • •

.6

 $\frac{.9}{1.2}$

1893

1892

1.9

1.8

1888

Deaths.—Influenza. Puerperal Fever. Scarlet Fever. Bushbury ... 1 Brewood 6 Cheslyn Hay...1 1 Hatherton Hilton ... 1 Diarrhœa. Penkridge, 1. Bushbury, 1. Brewood, 1. Great Wyrley, 1. Diphtheria. Penkridge, 2. Brewood, 1. Bushbury, 1. Typhoid.—Penkridge, 1. Erysipelas.—Lapley, 1. Mortality from the Principal Diseases. Cannock. Brewood. Totals. Totals in 1894.Zymotic Diseases ... 16 20 1129 Bronchitis 14 36 Chest 26 20 Pneumonia 9 Diseases | Phthisis 3 18 6 15 82 Culmonary Congestion 2 2 Croup 4-59 0 0 0 Liver Disease 7 Kidney Disease 0 24 Heart Disease ... 15 Brain Disease 14 17 26 20 12 Cancer ... 1 -19... 13 11 Convulsions ... 3 9 11 Accident 6 12 17 15 Old Age... 0 1 Puerperal Convulsions... 2 Epilepsy... 2 0 Rheumatic Fever (Debility from birth) Marasmus 26 ⟨ Mesenteric Disease ⟩ 15 ... 23 38

General

Mortality.

Chest Diseases rose from 59 to 82.

Intestinal Catarrh

Dentition

All other causes

Cancer, in the agricultural districts, is responsible for 19 out of 20 deaths.

186

79

11

265

33

246

Phthisis, for 15 out of 18 deaths.

Brain Diseases, for 14 out of 17 deaths.

New Cases of Sickness	s.	1895.		1894.	Sickness.
Small Pox		0		3	
Membranous Croup		0		7	
Scarlet Fever		73		127	
Diphtheria		11		5	
Typhoid Fever		14		4	
Erysipelas		17		13	
Measles		60		20	
Whooping Cough		50		20	
Diarrhœa		40		15	
Pyœmia		1		1	
Febricula		18		8	
Puerperal Fever		2		2	
Influenza	• • •	50		20	
		336		${245}$	
gistered Cases of Notifi	able	Diseases	, min	us Measles.	
1895 117.		1892		57.	

Res

1895	 117.	1892	 57.
1894	 159.	1891	 145.
1893	 182.	1890	 238.

Average for the 5 years 156.

The question of Hospitals for the Isolation of Infectious Cases is one that is demanding earnest attention, and the County Council is taking steps to secure, if possible, the combined action of the Sanitary Authorities, with a view of forming Hospital areas. In some of our larger parishes, a scheme of central Hospitals, with a good equipment of nursing and ambulance staffs, would work well, whilst in the more remote and sparsely populated districts, Cottage Isolation might answer the purpose. As at present worked, the Hospital at Cannock is for Small Pox only. It is not suitable for a General Infectious Hospital, but it has served a most useful purpose, and probably saved much to the ratena vers.

Hospital for Fevers.

1 0	ırlet	Fever in	the D	istrict :		Scarlet Fever
Cases.	 	. 73	In	1894	 127	

Deaths ... 43 Houses infected 64

1st Quarter—9 Cases—

Mostly in Bushbury and Great Wyrley. Infection was existent in these parishes in the latter end of 1894.

2nd Quarter—11 Cases—

Five cases in Lapley, and 4 in Cheslyn Hay, the latter all occurring in one household.

3rd Quarter—22 Cases—

Mostly in Bushbury and Penkridge; isolated cases in Cheslyn Hay and Great Wyrley.

4th Quarter—31 Cases—

In Bushbury, Lapley, Stretton, and Penkridge, infection traceable from children attending school in Wolverhampton. One case in Wyrley had been removed to the Witton Infectious Hospital, prior to my receiving the notification.

I closed the schools in Lapley and Stretton for a month, a case occurring at the school-house in Wheaton Aston, and in Stretton Parish Diphtheria co-existing with Scarlet Fever. I visited the main centres of infection, and in all cases instructed the Inspector to supervise the sanitary surroundings, and to give his attention to school attendance, to isolation as far as practicable, to fumigation of infected rooms and clothes, and to the lime-washing of houses.

Diphtheria.

Diphtheria in the District:—

Cases	11	In 1894	 5
Deaths	4	,,	 2
Houses infected	11	,,	 5

A case at Crown Bridge, Penkridge; here I considered the brook was at fault, and the only remedy appears to be a scheme of drainage, in order to check brook pollution.

In a case at Gorse Brook I reported on the filthy condition of a brook at the back of the garden.

Impure water in Market Place, Penkridge, caused the death of a girl at Preston Vale.

In a fatal case at Pillaton polluted water had no doubt been taken, although the house well had not long before been overhauled, and was probably not answerable for this outbreak.

In a case at "The Home," Penkridge, the water was condemned by an analyst. The drainage was put in proper order, and good water provided.

In a case at Whiston I condemned the closet as being the probable cause leading to offensive smells in a dairy near at hand. This has been remedied.

In a case at Stretton I condemned the ashpits and pigstyes, and the well was cleared of a lot of rotten timber. The children attended Stretton Schools, although I find the house is in Brewood Parish.

At Shutt Green, Brewood, I found no water supply. The water used came from a neighbouring farm house, where suspicious circumstances surrounded the water supply.

In my Report for 1894 I stated with reference to Influenza—"I see no reason to suppose that we have heard the last of this rapidly-spreading disease." In 1895 I have to report 7 deaths—6 in Brewood, and 1 in Hatherton.

Influenza.

Diarrhœa was answerable for 4 deaths. In this connection I would suggest that the Council should contract for the removal of house refuse in Cheslyn Hay and the larger villages, as they have done in Bushbury.

Diarrhœa.

	[]	'yphoid	Fever:—		
Cases			14	Ţ.	n 18

Deaths ... -1 Houses infected 11

Typhoid Fever.

Eight of these cases occurred in Great Wyrley, in the earlier part of the year. Bad water was largely answerable for this, and in some of the cottages there was a soaking of closet refuse through the walls of the wash-house, leading to serious nuisances. These matters received attention, and the houses were disinfected and cleansed.

The question of Water for Great Wyrley and Cheslyn Water Supply Hay is engaging the serious consideration of the Local and District Council. The population is on the increase, and the present facilities for water are totally inadequate to meet the just demands of the people. There is a great element of danger to the public health at the present moment.

Vaccination is carried out in our district with little Vaccination. friction, and the returns are satisfactory. The Officials are zealous in their work, and the Guardians may be congratulated on the results of their labours.

Cemeteries.

The Parish of Great Wyrley has provided a Cemetery, which has received the approval of the Home Office, and which I duly inspected at the request of the Government Office and of the local Parish Council. The old Wyrley churchyard is overcrowded with graves, and would have become a detriment to public health. The Cheslyn Hay Parish Council has also taken measures to provide a commodious and well-situated burial ground.

Inspector's Summary:

•		·			
Overcrowding					
Unfit for Habitation					٤
Dairies and Milk Shope	s inspe	ected			39
Cowsheds inspected					39
Ashpits and Privies					11
House Drainage				•••	31
Water Supply	•••	•••			11
Canal Boats inspected	•••	•••			30
Houses disinfected		•••			55
Visits for Infectious Di	isease				85
Foul conditions and str	uctura	l defec	ts in d	lwel-	
ling houses				•••	9
Bakehouses inspected	•••		•••		10
Houses disinfected and					
cases (as above)			•••		140
,					

Uncertified Deaths.

Causes of such-Cannock, 3:-

Heart Disease, 1. Debility from Birth, 1. Epilepsy, 1.

Brewood, 20:-

Debility from Birth, 4. Bronchitis, 3. Heart Disease, 2. Mesenteric Disease, 2. Convulsions, 2. Old Age, 2. Cancer, 2. Pneumonia, 1. Gout, 1. Kidney Disease, 1

Percentage of Total Deaths.

1895	`	8.6.	1892		3.9.
1894	•••	3.2.	1891		3.
1892	•••	4.4.	1890	•••	3.9.

There is thus a surprising increase, and nearly all the cases are in the Brewood District, 13 being in Brewood Parish.

I beg to enclose the usual Tables (A and B), and to remain,

My LORD AND GENTLEMEN,

Your Obedient Servant,

WM. HOSEGOOD, M.B., C.M.,
Medical Officer of Health,
Cannock Bural District Council.

CANNOCK RURAL SANITARY AUTHORITY.

(A)

TABLE OF DEATHS during the Year 1895, in the Rural Sanitary District of Cannock; classified according to DISEASES, AGES, and LOCALITIES

(A)								the Year	1000,	070 0100	J LA EVI	wo XI	(D) D C C	M SUBJ	-	0			ATTECKT.	wa D	อเทชเ	OF C	HILDI	ZEN I	INDER	FIVE	YEAD	RS OF	AGE	
NAMES of LOCAL- ITIES adopted for the purpose of these Statistics; public institutions being shown as separate localities.	At all Ages.	Under l year.	l and under 5	FOM AI JOINED 5 and under 15	AGKS. 15 and under 25	25 and under 55	65 and		Smallpox.	Scarlatina.	ω Diphtheria.	Membranous Croop	FR Snyda, t		EVERS.		ePuerperal 6	o Cholera.	Erysipelas.	Measles.			63		Bronchitis, 21 Pneumonia, and Pleurisy.	& Heart Disease.	E Influenza.	o Injuries.	All other Diseases	a Totals.
CANNOCK (Rural).	79	27	7	2	4.	15	24	Under & 5 upwds		-							1						2	1 2	9 14	9	1	3	23 12	34 45
BREWOOD	186	3 43	15	8	5	57	58	Under 5			2 2			1			l I		power			3		15	18 21	15	6	1 5	33 62	58 128
Totals }	26	5 70	22	10	9	72	82	Under 5 upwe		1	2 2			1			2		1			4	2	17	27 35	24	7	8		178

(B) TABLE OF POPULATION, BIRTHS, and of NEW CASES OF INFECTIOUS SICKNESS, coming to the knowledge of the Medical Officer of Health, during the year 1895, in the Rural Sanitary District of Cannock; classified according to Diseases, Ages, and Localities.

(Ł	3)		the year	r = 1895	New Cases	irai D	CETE GO CO	17.	- alitre	aorain	a to the k	nowle	dge of t	he Med	lical Of	ficer of	Health		NUMBER OF SUCH CASES REMOVED FROM THEIR HOMES IN THE SEVERAL
	-	CORVEL LATION A	T ALL AGES.	_ _	New Cases	of Sickn	1			COLDILL	FE.	VERS.				as.	vî	nis,	Localities for Treatment in Isolation Hospital.
	AMES OF LOCALITIES adopted for the purpose of these Statistics; Public Institutions being shown as separate localities.	Census 1891.	Estimated to middlo of 1895.	Registered Births.		Smallpox.		, Diphtheria,	Membranous Croup.	Typhus.	Enteric or Typhoid.	L ved.	co Relapsing.	c Puerperal	O Cholera	H Erysipelas	Mensles.	Bronchitis,	Scarlatina (5 upwards) 1
	a	b	е	d	e	1	2	3 1			1			1	{			1.	
	CANNOCK (Rural).	5931	6200	239	Under 5 5 upwds.		6 16				8			1	!	10	-		H.—The Small Pox Hospital receives Small
	BREWOOD.	9963	9933	279	Under 5 5 upwds		14 37	2 9			6			I sunt on the contract of the		1 6			Pox from the Rural and Urban Districts; is on the confines of the Rural District, and in the Cannock Urban area.
	Totals {	15894	16133	518	Under 5 5 upwds		20 53	2 9			14			2		16			

Annual Report of Medical Officer of Health, 1895.

RURAL SANITARY DISTRICT OF CANNOCK.

B. New Cases of Infectious Siekness coming to the knowledge of the Medical Officer of Health during the year 1895, enumerating the Number of Honses infected, Total Number of Deaths, also the Number of Cases Treated, and the Deaths that occurred in Infectious Hospitals.

		Smallpox.	Scarlatina.	Diphtheria.	Membran- ous Croup.	Typhus Fever:	Enteric Fever.	Continued Fever.	Relapsing Fever.	Puerperal Fever.	Cholera.	Erysipelas.	Measles.	Whooping Cough.
Houses infected			43	11			11			2		17	40	25
Total cases reported among persons be- longing to District	Under 5 5 & upwds.		20 53	9			14			2		1 16	25 35	32 18
Total deaths reported among persons belonging to District	Under 5 5 & npwds.		1	$\frac{2}{2}$			1			2		1		
Cases treated in Hospital among persons belonging to District	Under 5 5 & npwds.		1											
Deaths occurring in Hospital among persons belonging to District	Under 5 5 & upwds.													

Is "Notification of Infectious Diseases" Compulsory in the District? Yes.

Since when? December, 1889.

Is Measles included among the Diseases notified? No.

Is Whooping Cough ,, ,, No.

Is an Isolation Hospital available for the District? Yes; for Smallpox.

Area of District in Acres? 52,222.

(Signed), Wm. HOSEGOOD, M.B., M.O.H.

ANNUAL REPORT OF THE MEDICAL OF

Rural Sanitary District of

(A) Deaths registered during the year 1895, elassified according to Diseases, Ages, and Localities; showing als

NAMES of LOCAL	Popula	tiou.	Regist	ered B	irths.		Deat	hs from	a all c	auses (t snbj	ages.								
ITIES adopted for the purpose of these Statistics; Public Instutions being shown as separate Localities.	1891. Led to of 189		Males.	Femalos. Total.		Males.	Females.	Females.		1 year and under 5.	5 years and under 15.	15 years and under 25.	25 years and under 65.	65 years and apwards.		Smallpox.	Scarlatina.	Diphtheria.	Mornbranous Croup.	
CANNOCK (Rnral)	5931 9963	6200 9933					33 95	79 186	27 43	7	2	4 5	15	24	Under 5 5 and upwards Under 5	5	1	2		
	 15894	16133	277	241	518	 13 7	128	265	70	22	10	9	72	82	5 and upward nnder 5 5 and upward		1	$\begin{array}{ c c }\hline 2\\\hline 2\\\hline 2\\\hline \end{array}$	The state of the s	400

FICER OF HEALTH, 1895.

Cannock.

also the Population of such Localities and the Births therein during the year.

N	Mortality from subjoined caues, distinguishing deaths of Children under 5 years of age.															
	I	evers.							li li				8	ase.		
Typhus.	Enteric or Typhoid.	Continued.	Relapsing.	Puerperal.	Cholera.	Erysipelas.	Measles.	Whooping Cough.	Diarrhæa or Dysentry.	Rheumatic Fever.	Ague.	Phthisis.	Bronchitis. Pneumonia Pleurisy.	Heart Disease.	Injuries.	All other Diseases.
		- 8			À											
									1			1	9			23
				1						2	1	2	14	9	3	13
						1			3				18		1	33
	1			1								15	21	15	5	68
						1			4.			1	27		1	56
	1			2						2		17	35	24	8	81

(Signed) W. HOSEGOOD, M.B., M.O.H.

